

Amendments to the Claims:

1. (Currently Amended) A method of managing telephony events associated with a ~~first mobile device connected to from a general-purpose computer a wireless communications network~~, the method comprising:

monitoring first data directed to the first mobile device over the a wireless communications network, wherein the first data causes the mobile device to execute one or more first telephony events;

determining whether the first data belongs to one or more predetermined categories of data designated to be forwarded to the general-purpose computer; if first data directed to the first device is associated with a first communication category, wherein the first data is configured to cause the first device to execute a first telephony event

generating second data from the first data, in response to determining that the second data is needed to cause the general-purpose computer to execute one or more second telephony events that are equivalent or similar to the one or more first telephony events that are designated for execution on the mobile device; and, for communicating the second data to a second device over a wired communication connection, wherein the second data is configured to cause the second device to execute a second telephony event corresponding with the first telephony event

forwarding the first data or, where needed, the second data to the general-purpose computer, without regard to the call state of the mobile device, in response to determining that the first data belongs to the one or more predetermined categories,

wherein the general-purpose computer receives the first or the second data and executes the one or more second telephony events, allowing a user to access or respond to the one or more second telephony events using additional resources available on the general purpose computer which are not available on the mobile device.

2. (Cancel)

3. (Currently Amended) The method of claim 21, further comprising forwarding the first or second data to the second device general-purpose computer directly over an Internet protocol (IP) based connection.

4. (Currently Amended) The method of claim ~~2~~1, further comprising forwarding the first or second data to the ~~second device~~general-purpose computer directly over a transmission control protocol/Internet protocol (TCP/IP) based connection.

5. (Currently Amended) The method of claim ~~2~~1, further comprising forwarding the first or second data to the ~~second device~~general-purpose computer directly over a user datagram protocol/Internet protocol (UDP/IP) based connection.

6. (Currently Amended) The method of claim ~~2~~1, further comprising forwarding the first or second data to the ~~second device~~general-purpose computer by way of a server device connecting the first mobile device and the ~~second device~~general-purpose computer over a wired Internet connection.

7. The method of claim 6, wherein the server device performs the step of generating the second data.

8. (Currently Amended) The method of claim 1, wherein the one or more predetermined categories~~first communication category~~ defines a set of executable telephony events.

9. The method of claim 8, wherein the set of executable telephony events comprises at least one of answering an incoming call, ignoring an incoming call, and disconnecting an incoming call.

10. (Cancel)

11. (Currently Amended) A system comprising:
a logic unit for monitoring first data directed to the mobile device over a wireless communications network, wherein the first data causes the mobile device to execute one or more first telephony events;

a logic unit for determining whether the first data belongs to one or more predetermined categories of data to be forwarded to the general-purpose computer;

a logic unit for generating second data from the first data, in response to determining that the second data is needed to cause the general-purpose computer to execute one or more second telephony events equivalent or similar to the one or more first telephony events; and

a logic unit for forwarding the first data or second data to the general-purpose computer, without regard to the call state of the mobile device, in response to determining that the first data belongs to the one or more predetermined categories,

wherein the general-purpose receives the first or second data and executes the one or more second telephony events, allowing a user to access or respond to the one or more second telephony events using additional resources not available on the mobile device.

~~A method of controlling events executed on a first device connected to a mobile communications network using a second device connected to the first device over a wired communications network, the method comprising:~~

~~———executing a first event by interacting with the second device;~~

~~———communicating data associated with the first event to the first device over the wired communications network; and~~

~~———executing a second event on the first device, wherein the second event corresponds to the first event executed on the second device.~~

12. (Cancel)

13. (Currently Amended) The ~~method~~ system of claim ~~12~~11, further comprising a logic unit for forwarding the first or second data to the general-purpose computer directly over an Internet protocol (IP) based connection, ~~wherein the second event comprises transmitting the text message over the mobile communications network to a destination.~~

14. (Currently Amended) The ~~system method~~ system of claim 11, further comprising a logic unit for forwarding the first or second data to the general-purpose computer directly over a transmission control protocol/Internet protocol (TCP/IP) based connection, ~~wherein the wired communications network is an Internet protocol (IP) based communication network.~~

15. (Currently Amended) The system method of claim 11, further comprising a logic unit for forwarding the first or second data to the general-purpose computer directly over a user datagram protocol/Internet protocol (UDP/IP) based connection, ~~wherein the data associated with the first event is communicated to the first device over a transmission control protocol/Internet protocol (TCP/IP) based connection.~~

16. (Currently Amended) The system method of claim 11, further comprising a logic unit for forwarding the first or second data to the general-purpose computer by way of a server device connecting the mobile device and the general-purpose computer over a wired Internet connection, ~~wherein the data associated with the first event is communicated to the first device over a user datagram protocol/Internet protocol (UDP/IP) based connection.~~

17. (Currently Amended) The system of claim 16, wherein the server device performs the step of generating the second data. ~~A system of controlling telephony events directed to a first device via a wireless communications network, by way of transferring data associated with said telephony events to a second device connected to the first device by way of an Internet protocol based network, wherein upon receipt of the data associated with the telephony events, the second device executes said telephony events.~~

18. (Currently Amended) The system of claim ~~17~~11, wherein the one or more predetermined categories defines a set of executable telephony events, ~~the second device can be used to control telephony events on the first device.~~

19. (Currently Amended) The system of claim ~~17~~18, wherein the set of executable telephony events comprises at least one of answering an incoming call, ignoring an incoming call, and disconnecting an incoming call, ~~wherein the data associated with said telephony events is transferred over a transmission control protocol/Internet protocol (TCP/IP) based connection.~~

20. (Cancel)